PHYSICIAN'S ORDERS



NAME: ROOM NO: (ADDRESS) HOSP. NO. PHYSICIAN

Another brand of drug identical in form and content may be dispensed unless checked.
Gastroscopy Order Set Dr. Addison
Pre-Procedure:
1. Clear liquid supper night before procedure.
2. NPO after 2200 the night before procedure (includes ALL tube feedings).
3. Start IV D5W @ KVO @ 0600, if patient does not have IV.
4. Schedule with Resource Scheduling at 2667 and order appropriate procedure in the computer with
Endoscopy Services.
5. Have permit signed for Esophagogastroduodenoscopy with possible biopsy
6. Pregnancy Test – Serum/Urine HCG for all women of childbearing age (menses to 55) within two days
of procedure. (EXCEPTION: History of tubal ligation or hysterectomy.)

Intra-Procedure:

P

- 1. Demerol 25-100 mg and Versed 1-10 mg to be given IV as conscious sedation during procedure. Titrate to desired level of sedation.
- 2. Nubain 10-20 mg IV for sedation if allergic to Demerol.
- 3. Narcan 0.4 mg IV PRN for reversal if necessary.
- 4. Romazicon 0.2 mg IV PRN for reversal if necessary.
- 5. 02 @ 2 L/min NC PRN.
- 6. Zofran 4 mg IV PRN for nausea

Post-Procedure:

- 1. NPO for 1 hour.
- 2. If IV started for this procedure, DC when alert.
- 3. Elevate head of bed 30 degrees.

MD Signature:

Time & Date:

Please use Ball Point Pen ONLY

IU OOD MS **DO NOT USE:** U QD MSO4 MgSO4

Revised: 09/26/17

Page 1 of 1