## PHYSICIAN'S ORDERS



NAME: ROOM NO: (ADDRESS) HOSP. NO. PHYSICIAN

Another brand of drug identical in form and content may be dispensed unless checked. $\Box$
Endoscopy with Biopsy or
<b>Endoscopy with Possible Sclerotherapy or Banding Order Set</b>
Dr. Charles Bluhm Dr. David Landy
Di. Charles Blumin Di. David Dandy
Pre-Procedure:
1. After procedure is explained to patient by MD, have permit signed for: Esophagogastroduodenoscopy with Possible Biopsy and/or Sclerotherapy or Esophageal Banding
2. Review and document informed consent with patient prior to signing permit; call physician if any unanswered questions.
3. Give patient information sheet to patient to read.
4. Clear Liquid Breakfast on day of exam then NPO (may have heart and blood pressure medications if procedure is after 0900) (includes ALL tube feedings).
5. Schedule procedure with resource scheduling @ 2667, diagnostic imaging, and order the appropriate procedure in computer with Endoscopy Services.
6. If patient does not have IV, begin D5 ½ NS to KVO morning of exam.
7. Pregnancy Test – Serum/Urine HCG for all women of childbearing age (menses to 55) within two days of procedure. (EXCEPTION: History of tubal ligation or hysterectomy.)
Post-Procedure:
1. Vital signs q 30 minutes until patient is alert and vital signs are stable.
2. NPO and bed rest with bedside rails up until patient is alert and vital signs are stable.
3. Notify MD for abdominal pain, resp < 10 or > 24, obtundation, pulse > 120 or BP < 100.
4. Resume previous orders when patient is alert and vital signs stable.
5. Cepacol lozenges PRN sore throat when alert.
6. Discontinue IV when alert if started for procedure.
MD Signature: Date & Time:

**Please use Ball Point Pen ONLY** 

DO NOT USE: U IU QD QOD MS MSO4 MgSO4

Revised: 08/27/14 Page 1 of 1