## PHYSICIAN'S ORDERS



NAME: ROOM NO: (ADDRESS) HOSP. NO. PHYSICIAN

Another brand of drug identical in form and content may be dispensed unless checked.
Outpatient Esophagogastroduodenoscopy (EGD) & Colonoscopy Order Set Dr. Charles Bluhm Dr. David Landy
Pre-procedure:
1. Admit to Medical Day
2. Diagnosis:
<ul> <li>Permit signed for:</li> <li>□ Esophagogastroduodenoscopy with Possible Biopsy, Dilation, Polypectomy, Possible Esophageal Banding and/or Sclerotherapy.</li> <li>□ Colonoscopy with Possible Biopsy, Electrocautery, and/or Polypectomy</li> </ul>
4. Start IV D5 ½ NS at KVO.
5. Lab:
Intra-procedure:
1. Demerol 25-100 mg and Versed 1-10 mg to be given IV as conscious sedation during procedure – titrate to
desired level of sedation.
2. Nubain 10-20 mg IV for sedation if allergic to Demerol.
3. Narcan 0.4 mg IV PRN for reversal of narcotics.
4. Romazicon 0.2 mg IV PRN for reversal of benzodiazepines.
<ul><li>5. O2 @ 2 L/min NC PRN for hypoxia</li><li>6. Zofran 4 mg IV PRN for nausea.</li></ul>
o. Zorran 4 mg IV PRN for nausea.
Post-Op:
1. Elevate head of bed 30 degrees
2. Vital Signs every 15 minutes x 2
3. NPO until alert, awake.
MD Signature: Date & Time:

**Please use Ball Point Pen ONLY** 

DO NOT USE: U IU QD QOD MS MSO4 MgSO4

Reviewed: 10/22/13 Page 1 of 1