PHYSICIAN'S ORDERS



NAME: ROOM NO: (ADDRESS) HOSP. NO. **PHYSICIAN**

| Another brand of drug identical in form and content may be dispensed unless checked. \Box |
|---|
| Pitocin Order Set |
| FOR INDUCTION: |
| Begin Pitocin IV infusion for induction of labor at |
| Obtain baseline fetal monitor tracing with external fetal monitor before Pitocin is started. At any time during the drug administration that the response of the laboring patient or the unborn infant is assessed to be inappropriate, the RN may DC the infusion and notify the MD. Add 30 units of Pitocin to 500 ml NS. Infuse Pitocin drip IV piggyback into mainline according to the |
| following guidelines: |
| 1 Mu/min 1 ml/hr 2 Mu/min 2 ml/hr |
| 4 Mu/min 4 ml/hr |
| 8 Mu/min 8 ml/hr |
| 12 Mu/min 12 ml/hr |
| 12 Mu/min 12 ml/m 16 Mu/min 16 ml/hr |
| 20 Mu/min 20 ml/hr |
| 5. Increase every 15 minutes until greater than 200 Montivideo Units are obtained in a 10-minute window. |
| FOR AUGMENTATION: Start Pitocin drip at 2 Mu/min and increase Pitocin drip 2 Mu/min every 20 minutes until greater than 200 Montevideo units are obtained or contractions occurring every 2-3 min lasting 45 seconds. |
| D. D. C. |
| Per Dr written initiate order set (Note: enter into CPOE) |
| Per Dr telephone/verbal initiate order set (Note: enter into Evident) |
| |
| |
| |
| |
| |
| MD Signature: Date & Time: |
| Cullman Regional Please use Ball Point Pen ONLY Physician's Orders |
| DO NOT USE: U IU QD QOD MS MSO4 MgSO4 Revised and approved by CNO & Director of Pharmacy: 12/3/2021 Page 1 of 1 |