



**CULLMAN**  
REGIONAL

## PHYSICIAN'S ORDERS

NAME:  
ROOM NO:  
(ADDRESS)  
HOSP. NO.  
PHYSICIAN

**Another brand of drug identical in form and content may be dispensed unless checked. ☐**

### Dr. Alice Morgan - Post Operative Order Set

(page 1 of 2)

☐ Admit Inpatient    ☐ Place in Observation Services    ☐ Outpatient

☐ S/P Surgical Procedure \_\_\_\_\_

Routine Recovery Care    ☐ CCU post-op    ☐ To floor post-op

Vital Signs and I&O q 2 hours x 2; q hours x 2; then q 8 hours

Daily Weight

Diet: ☐ NPO    ☐ Clear Liquids and advance as tolerated to regular    ☐ Soft  
☐ Regular    ☐ ADA appropriate carbohydrate    ☐ Low Sodium  
☐ Cardiac    ☐ Post OP T&A    ☐ Edentulous  
☐ Pureed

IV Fluids: ☐ D5¼ NS @ \_\_\_\_\_ cc/hr    ☐ NS @ \_\_\_\_\_ cc/hr  
☐ D5½ NS @ \_\_\_\_\_ cc/hr    ☐ IV lock with flush q shift  
☐ LR @ \_\_\_\_\_ cc/hr    ☐ KVO  
☐ D5 LR @ \_\_\_\_\_ cc/hr

☐ JP drain: Record volume q 8 hours. Notify if not maintaining negative pressure. Strip drain tubing q 4 hours.

☐ Foley to gravity

Activity: ☐ ad lib    ☐ Bed rest    ☐ Up in chair

☐ Elevate HOB    ☐ 30°    ☐ 45°

☐ Turn, cough, deep breath q 2 hours x 48 hours while awake

☐ T-pump to \_\_\_\_\_

☐ Bedside Humidifier

☐ SCD (if in hospital > 24 hours post op only if pharmacologic contraindication for VTE prophylaxis and is not a pediatric patient)

☐ TED hose

• Incentive Spirometry Protocol, and OSA screening and/or protocol as applicable. Notify Respiratory Therapy.

☐ Cardiac Monitor

☐ O<sub>2</sub> Sat monitoring

☐ O<sub>2</sub> @ 2 liters nasal cannula

☐ 28% F102 with open face mask with humidification    ☐ via trach collar  
☐ 32% F102 with open face mask with humidification    ☐ via trach collar  
☐ 40% F102 with open face mask with humidification    ☐ via trach collar

Suction tracheotomy tube q 1 hour x 2, q 2 hours x 2, and then PRN

Labs now: ☐ Hgb & Hct    ☐ Platelets    ☐ BMP

Labs in am: ☐ CBC    ☐ CBC with auto Diff    ☐ CBC with manual Diff  
☐ CMP    ☐ PT/PTT/INR    ☐ Other \_\_\_\_\_

**MD Signature:** \_\_\_\_\_ **Date & Time:** \_\_\_\_\_

Revised: 10/20/16    **DO NOT USE:**    U    IU    QD    QOD    MS    MSO4    MgSO4



**CULLMAN**  
REGIONAL

## PHYSICIAN'S ORDERS

NAME:  
ROOM NO:  
(ADDRESS)  
HOSP. NO.  
PHYSICIAN

### Dr. Alice Morgan - Post Operative Order Set

(page 2 of 2)

#### Medications:

- ☐ See medication reconciliation report
- ☐ See home medication form
- ☐ Toradol 30 mg IV q 6 hours PRN moderate 4-7 pain x 6 doses
- ☐ Phenergan ☐ 6.25 mg ☐ 12.5 mg ☐ 25 mg PR q 8 hours PRN nausea/vomiting
- ☐ Tylenol 650 mg Po/Supp q 4 hours PRN mild 1-3 pain or > 101°F or liquid dose for age
- ☐ Zofran 4 mg IV q 4 hours PRN nausea/vomiting
- ☐ Zofran ODT 4 mg Po q 4 hours PRN nausea
- ☐ Lortab Elixir 2.5 mg/5ml ☐ 2.5 mg moderate 4-7 pain ☐ 5 mg moderate 4-7 pain ☐ 7.5 mg severe 8-10 pain ☐ 10 mg severe 8-10 pain Po qid PRN
- ☐ Tylenol with Codeine 30 mg ☐ 1 tab moderate 4-7 pain ☐ 2 tab severe 8-10 pain ☐ q 4 hours ☐ q 6 hours Po PRN
- ☐ Tylenol with Codeine Elixir 120 mg/12.5 mg/5 ml ☐ 3-6 YO 5 ml ☐ 7-17 YO 10 ml q 8 hours Po PRN moderate 4-7 to severe 8-10 pain
- ☐ Morphine Sulfate ☐ 1 mg moderate 4-7 pain ☐ 2 mg severe 8-10 pain IV q 4 hours PRN pain if not relieved by Lortab, Toradol, or Tylenol with Codeine
- ☐ Ofloxacin gtts 4 gtts ☐ AU bid ☐ AS bid ☐ AD bid for ☐ 3 ☐ 5 days
- ☐ Lovenox 40 mg SubQ every 24 hours. Start at \_\_\_\_\_
- ☐ H2 Blocker drip PRN order set
- ☐ Pantoprazole 40 mg IV q am
- ☐ Rocephin 50 mg/Kg not to exceed 1 gm IV daily or 2 gm for BMI > 40
- ☐ Amoxil 400 mg/5 ml ☐ 5 ml ☐ 10 ml Po bid
- ☐ Augmentin 400 mg/5 ml ☐ 5 ml ☐ 10 ml Po bid pc
- ☐ Albuterol treatment ☐ 1.25 mg ☐ 2.5 mg ☐ q 4 hours ☐ bid PRN wheezing
- ☐ Duoneb treatment q 4 hours PRN wheezing

**MD Signature:** \_\_\_\_\_ **Date & Time:** \_\_\_\_\_

Revised: 10/20/16 **DO NOT USE:** U IU QD QOD MS MSO4 MgSO4